



检测报告

152512050049

TEST REPORT

报告编号

YNZKBG20230428023-3

Report No

项目名称

大理丰顺医疗废物处置有限公司 2023 年第二季度比对监测

Name

委托单位

大理丰顺医疗废物处置有限公司

Client

项目地址

大理州大理市下关镇吊草村大风坝垃圾处理场以西

Address

样品类别

空气和废气

Type

编制:

Compiled by

李雪燕

校核:

Proofread check

审核:

Inspected by

签发:

Approved by

签发日期:

2023 年 04 月 28 日

Approved Date

Y M D

云南中科检测技术有限公司

Yunnan Sino-sci Testing Tech. Co, LTD

报告日期

2023 年 04 月 28 日

Report Date

Y M D

声 明 Introduction

1.报告无“CMA 资质认定章”和检测单位“检测专用章”及“骑缝章”无效。

This report no seal on the perforation and CMA qualification certification seal and special seal for testing is invalid.

2.报告无编制人、审核人、签发人签名无效，报告经涂改无效。

This report without prepare people signature, audit staff signature, approver signature is invalid, The report by alter is invalid.

3.报告未经本机构批准，不得复制（全文复制除外）本报告或证书。

This report or certificate can't be copied (except in full) without the approval of the agency .

4.对委托人送检的样品进行检测的，检测报告对样品所检项目的符合性情况负责，送样样品的代表性和真实性由委托人负责；除委托方特别声明并支付样品管理费以外，所有样品超过标准或技术规范要求的时效性均不再留样。

If the sample submitted by the client is tested, the test report shall be responsible for the conformity of the items tested by the sample, and the client shall be responsible for the representativeness and authenticity of the sample submitted; Unless the entrusting party makes a special statement and pays the sample management fee, the timeliness of all samples exceeding the requirements of standards or technical specifications will not be retained.

5.委托方应对提供的检测相关信息的完整性、真实性、准确性负责。本公司实施的所有检测行为以及提供的相关报告以委托方提供的信息为前提，当委托方提供的信息可能影响结果的有效性时，本公司不承担由此引起的任何责任。

The entrusting party shall be responsible for the completeness, authenticity and accuracy of the testing related information provided. All testing behaviors and related reports provided by our company are based on the information provided by the entrusting party. When the information provided by the entrusting party may affect the effectiveness of the results, our company will not assume any responsibilities arising therefrom.

6.报告未经检测单位同意不得用于广告，商品宣传等商业行为。

This report without the consent of the testing organization shall not be used for advertising, advertising products such as business practices.

7.委托方如对本检测报告有任何异议，请于收到报告之日起十五日内向本公司提出申请，逾期不申请的，视为认可本检测报告。

If the client has any objection to the test report, please apply to the company within 15 days from the date of receiving the report. If the client fails to apply within the time limit, it shall be deemed to have approved the test report.

地 址： 云南省昆明经济技术开发区云大西路 39 号新兴产业孵化区 3 幢 3 层厂房
Address: The 3-story factory Building, 3 Building, Emerging Industry Incubation Zone, No.39 Yunda West Road, Kunming Economic and Technological Development Zone, Yunnan Province.

邮 编： 650500

Postcode ID:

电 话： 0871-63852008

Telephone No:

传 真： 0871-63802005

Fax No:

网 址： www.sttynzk.com

Website:

网址: http://www.stunz.com/ 受照邮箱: ref@stunz.com 页码: 0071 2023.04.19

1.检测信息

表 1 检测信息

客户基本情况										
委托单位信息		单位名称	大理丰顺医疗废物处置有限公司							
		通讯地址	大理州大理市下关镇吊草村大风坝垃圾处理场以西							
		联系人	姚燮林	联系电话		13987202591				
受检单位信息		单位名称	大理丰顺医疗废物处置有限公司							
		通讯地址	大理州大理市下关镇吊草村大风坝垃圾处理场以西							
		联系人	姚燮林	联系电话		13987202591				
样品基本情况										
样品类别	样品名称	采样点位	采样频次		采样人员	采样时间	收样人员	收样时间	分析时间	样品状态描述
			天数	次/天						
空气和废气	有组织排放废气	A1：医疗废物焚烧废气排放口	1	9	刘易鑫 刘帮波	2023.04.18	杨 婷 杨海南	2023.04.19	2023.04.19- 2023.04.21	——



网址: http://www.broos.com/ 电子邮箱: ccr@broos.com 咨询热线: 0871-62857008

2.生产工单编号、检测类别、项目、方法、设备

表 2 检测分析及主要仪器设备一览表

生产工单编号	样品类别	检测项目	检测方法	检测和分析设备	仪器编号	分析人员	检出限/ 测定下限
YNZKSC 20230406052	空气和废气	颗粒物	HJ 836-2017 固定污染源废气 低浓度颗粒物的测定 重量法	ESJ30-5B 电子天平	STT-YNZK-FX106	杨婷	1.0mg/m ³
				ZR-3260 自动烟尘烟气综合测试仪	STT-YNZK-XC505		
		二氧化硫	HJ 57-2017 固定污染源废气 二氧化硫的测定 定电位电解法	ZR-3260 自动烟尘烟气综合测试仪	STT-YNZK-XC505	刘易鑫 刘帮波	3mg/m ³
		氮氧化物	HJ 693-2014 固定污染源废气 氮氧化物的测定 定电位电解法				3mg/m ³
		一氧化碳	HJ 973-2018 固定污染源废气 一氧化碳的测定 定电位电解法				3mg/m ³
		氯化氢	HJ 549-2016 环境空气和废气 氯化氢的测定 离子色谱法	CIC-100 离子色谱仪	STT-YNZK-FX065	普红青	0.2mg/m ³
				ZR-3260 自动烟尘烟气综合测试仪	STT-YNZK-XC505		
				崂应 3072 智能双路烟气采样器	STT-YNZK-XC041		

网址: http://www.shunyk.com/ 安照邮箱: cec@shunyk.com 次站由注: 0071 23067000

3.检测结果

表 3 有组织排放废气检测结果表

NO.1

检测项目	采样点位	采样日期	样品编号	排气筒 高度 (m)	烟气参数						检测结果	
					流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)	
颗粒物	A1: 医疗废物焚烧 废气排放口	2023.04.18	YNZKSC 20230406052-A007	35	5.1	118.1	-0.04	14.67	14.3	4154	20.4	
			YNZKSC 20230406052-A008		4.2	113.9	-0.03	13.08	12.8	3518	19.8	
			YNZKSC 20230406052-A009		4.7	116.1	-0.04	15.29	13.8	3815	12.1	
			YNZKSC 20230406052-A010		6.2	121.7	-0.05	17.71	11.2	4812	18.5	
			YNZKSC 20230406052-A011		7.3	128.4	-0.05	17.54	13.2	5583	19.7	
			YNZKSC 20230406052-A012		7.0	125.8	-0.04	18.06	12.4	5348	20.6	
			YNZKSC 20230406052-A013		6.9	129.7	-0.04	18.28	13.9	5207	18.4	
			YNZKSC 20230406052-A014		6.4	127.2	-0.04	18.82	12.2	4821	17.9	
			YNZKSC 20230406052-A015		7.0	129.0	-0.05	17.68	12.6	5322	19.7	
			平均值		6.1	123.3	-0.04	16.79	12.9	4731	18.6	



网址: <http://www.broos.com/> 客服电话: 400-888-8888 邮箱: info@broos.com 地址: 深圳市宝安区西乡街道铁岗社区铁岗山一路111号1111室

NO.2

检测项目	采样点位	采样日期	样品编号	排气筒 高度 (m)	烟气参数						检测结果	
					流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)	
二氧化硫	A1: 医疗废物焚烧废气排放口	2023.04.18	YNZKSC 20230406052-A007	35	5.1	118.1	-0.04	14.67	14.3	4154	44	
			YNZKSC 20230406052-A008		4.2	113.9	-0.03	13.08	12.8	3518	52	
			YNZKSC 20230406052-A009		4.7	116.1	-0.04	15.29	13.8	3815	29	
			YNZKSC 20230406052-A010		6.2	121.7	-0.05	17.71	11.2	4812	34	
			YNZKSC 20230406052-A011		7.3	128.4	-0.05	17.54	13.2	5583	47	
			YNZKSC 20230406052-A012		7.0	125.8	-0.04	18.06	12.4	5348	24	
			YNZKSC 20230406052-A013		6.9	129.7	-0.04	18.28	13.9	5207	34	
			YNZKSC 20230406052-A014		6.4	127.2	-0.04	18.82	12.2	4821	43	
			YNZKSC 20230406052-A015		7.0	129.0	-0.05	17.68	12.6	5322	52	
			平均值		6.1	123.3	-0.04	16.79	12.9	4731	40	

网址: http://www.broos.com/ 安照邮箱: ref@broos.com 添加备注: 0071 67067000

检测项目	采样点位	采样日期	样品编号	排气筒 高度 (m)	烟气参数						检测结果
					流速 (m/s)	烟温 (°C)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)
氮氧化物	A1: 医疗废物焚烧废气排放口	2023.04.18	YNZKSC 20230406052-A007	35	5.1	118.1	-0.04	14.67	14.3	4154	263
			YNZKSC 20230406052-A008		4.2	113.9	-0.03	13.08	12.8	3518	214
			YNZKSC 20230406052-A009		4.7	116.1	-0.04	15.29	13.8	3815	173
			YNZKSC 20230406052-A010		6.2	121.7	-0.05	17.71	11.2	4812	235
			YNZKSC 20230406052-A011		7.3	128.4	-0.05	17.54	13.2	5583	312
			YNZKSC 20230406052-A012		7.0	125.8	-0.04	18.06	12.4	5348	236
			YNZKSC 20230406052-A013		6.9	129.7	-0.04	18.28	13.9	5207	186
			YNZKSC 20230406052-A014		6.4	127.2	-0.04	18.82	12.2	4821	253
			YNZKSC 20230406052-A015		7.0	129.0	-0.05	17.68	12.6	5322	266
			平均值		6.1	123.3	-0.04	16.79	12.9	4731	238

网址: http://www.broos.com/ 安照前装: per@ctmnl.com 安照前装: per@ctmnl.com

检测项目	采样点位	采样日期	样品编号	排气筒 高度 (m)	烟气参数						检测结果	
					流速 (m/s)	烟温 (°C)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)	
一氧化碳	A1: 医疗废物焚 烧废气排放口	2023.04.18	YNZKSC 20230406052-A007	35	5.1	118.1	-0.04	14.67	14.3	4154	7	
			YNZKSC 20230406052-A008		4.2	113.9	-0.03	13.08	12.8	3518	6	
			YNZKSC 20230406052-A009		4.7	116.1	-0.04	15.29	13.8	3815	7	
			YNZKSC 20230406052-A010		6.2	121.7	-0.05	17.71	11.2	4812	6	
			YNZKSC 20230406052-A011		7.3	128.4	-0.05	17.54	13.2	5583	6	
			YNZKSC 20230406052-A012		7.0	125.8	-0.04	18.06	12.4	5348	8	
			YNZKSC 20230406052-A013		6.9	129.7	-0.04	18.28	13.9	5207	6	
			YNZKSC 20230406052-A014		6.4	127.2	-0.04	18.82	12.2	4821	6	
			YNZKSC 20230406052-A015		7.0	129.0	-0.05	17.68	12.6	5322	7	
			平均值		6.1	123.3	-0.04	16.79	12.9	4731	7	

报告编号: YNZKBG20230428023-3
ReportNo第 7 页 共 8 页
page of

NO.5

检测项目	采样点位	采样日期	样品编号	排气筒 高度 (m)	烟气参数						检测结果
					流速 (m/s)	烟温 (°C)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)
氯化氢	A1: 医疗废物焚烧废气排放口	2023.04.18	YNZKSC 20230406052-A028	35	5.1	118.1	-0.04	14.67	14.3	4154	4.82
			YNZKSC 20230406052-A029		4.2	113.9	-0.03	13.08	12.8	3518	4.85
			YNZKSC 20230406052-A030		4.7	116.1	-0.04	15.29	13.8	3815	4.92
			YNZKSC 20230406052-A031		6.2	121.7	-0.05	17.71	11.2	4812	5.26
			YNZKSC 20230406052-A032		7.3	128.4	-0.05	17.54	13.2	5583	4.98
			YNZKSC 20230406052-A033		7.0	125.8	-0.04	18.06	12.4	5348	4.98
			YNZKSC 20230406052-A034		6.9	129.7	-0.04	18.28	13.9	5207	4.73
			YNZKSC 20230406052-A035		6.4	127.2	-0.04	18.82	12.2	4821	4.78
			YNZKSC 20230406052-A036		7.0	129.0	-0.05	17.68	12.6	5322	5.30
			平均值		6.1	123.3	-0.04	16.79	12.9	4731	4.96

报告结束

附图:

大理丰顺医疗废物处置有限公司 2023 年第二季度比对监测点位图

