

正本



# 检测报告

## TEST REPORT

152512050049

报告编号

YNZKBG20260126019

Report No

项目名称

大理丰顺医疗废物处置有限公司 2026 年一季度比对监测

Name

委托单位

大理丰顺医疗废物处置有限公司

Client

项目地址

大理州大理市下关镇吊草村大风坝垃圾处理场以西

Address

样品类别

空气和废气

Type

编制:

Compiled by

李雪燕

校核:

Proofread check

张欣

审核:

Inspected by

马江

签发:

Approved by

李咏芬

签发日期:

2026 年 01 月 26 日

Approved Date

Y M D

云南中科检测技术有限公司

Yunnan Sino-sci Testing Tech.Co, LTD

报告日期

2026 年 01 月 26 日

Report Date

Y M D



11

# 声 明 Introduction

1.报告无“CMA 资质认定章”和检测单位“检测专用章”及“骑缝章”无效。

This report no seal on the perforation and CMA qualification certification seal and special seal for testing is invalid.

2.报告无编制人、审核人、签发人签名无效，报告经涂改无效。

This report without prepare people signature, audit staff signature, approver signature is invalid, The report by alter is invalid.

3.报告未经本机构批准，不得复制（全文复制除外）本报告或证书。

This report or certificate can't be copied (except in full) without the approval of the agency .

4.对委托人送检的样品进行检测的，检测报告对样品所检项目的符合性情况负责，送样样品的代表性和真实性由委托人负责；除委托方特别声明并支付样品管理费以外，所有样品超过标准或技术规范要求的时效性均不再留样。

If the sample submitted by the client is tested, the test report shall be responsible for the conformity of the items tested by the sample, and the client shall be responsible for the representativeness and authenticity of the sample submitted; Unless the entrusting party makes a special statement and pays the sample management fee, the timeliness of all samples exceeding the requirements of standards or technical specifications will not be retained.

5.委托方应对提供的检测相关信息的完整性、真实性、准确性负责。本公司实施的所有检测行为以及提供的相关报告以委托方提供的信息为前提，当委托方提供的信息可能影响结果的有效性时，本公司不承担由此引起的任何责任。

The entrusting party shall be responsible for the completeness, authenticity and accuracy of the testing related information provided. All testing behaviors and related reports provided by our company are based on the information provided by the entrusting party. When the information provided by the entrusting party may affect the effectiveness of the results, our company will not assume any responsibilities arising therefrom.

6.报告未经检测单位同意不得用于广告，商品宣传等商业行为。

This report without the consent of the testing organization shall not be used for advertising, advertising products such as business practices.

7.委托方如对本检测报告有任何异议，请于收到报告之日起十五日内向本公司提出申请，逾期不申请的，视为认可本检测报告。

If the client has any objection to the test report, please apply to the company within 15 days from the date of receiving the report. If the client fails to apply within the time limit, it shall be deemed to have approved the test report.

地 址： 云南省昆明经济技术开发区云大西路 39 号新兴产业孵化区 3 幢 3 层厂房  
Address: The 3-story factory Building, 3 Building, Emerging Industry Incubation Zone, No.39 Yunda West Road, Kunming Economic and Technological Development Zone, Yunnan Province.

邮 编： 650500

Postcode ID:

电 话： 0871-63337494

Telephone No:

传 真： 0871-63802005

Fax No:

网 址： www.sttynzk.com

Website:

## 1. 企业生产情况

表 1 企业工况

生产工单编号	主要产品名称	实际生产能力	监测期间 生产能力	监测期间运行情况	运行负荷
YNZKSC 20260106026	医废处理	4950 吨/年	11.0563 吨/天	正常运行	81.5%

## 2. 检测信息

表 2 检测信息

客户基本情况									
委托单位信息		单位名称	大理丰顺医疗废物处置有限公司						
		通讯地址	大理州大理市下关镇吊草村大风坝垃圾处理场以西						
		联系人	姚燮林	联系电话	13987202591				
受检单位信息		单位名称	大理丰顺医疗废物处置有限公司						
		通讯地址	大理州大理市下关镇吊草村大风坝垃圾处理场以西						
		联系人	姚燮林	联系电话	13987202591				
样品基本情况									
样品类别	样品名称	采样点位	采样频次		采样日期	收样日期	收样人员	分析日期	样品状态描述
			天数	次/天					
空气和废气	有组织排放废气	A1: 焚烧炉烟囱排气口	1	9	2026.01.21	2026.01.22	张晓川	2026.01.22- 2026.01.24	—

### 3.生产工单编号、检测类别、检测类别、项目、方法、设备

表 3 检测分析方法及主要仪器设备一览表

生产工单编号	样品类别	检测项目	检测方法	检测和分析设备			分析人员	检出限/ 最低检测 质量浓度
				仪器型号、名称	仪器编号	是否 租借		
YNZKSC 20260106026	空气和废气	颗粒物	固定污染源废气 低浓度颗粒物的测定 重量法 HJ 836-2017	ESJ30-5B 电子天平	YNZK-FX106	否	杨婷	1.0mg/m <sup>3</sup>
				HSX-350 恒温恒湿称重系统	YNZK-FX081	否		
		二氧化硫	固定污染源废气 二氧化硫的测定 定电位电解法 HJ 57-2017	ZR-3260 自动烟尘烟气综合测试仪	YNZK-XC312	否		
		氮氧化物	固定污染源废气 氮氧化物的测定 定电位电解法 HJ 693-2014	ZR-3260 自动烟尘烟气综合测试仪	YNZK-XC312	否		
		一氧化碳	固定污染源废气 一氧化碳的测定 定电位电解法 HJ 973-2018	T6 新世纪 紫外可见分光光度计	YNZK-FX275	否		3mg/m <sup>3</sup>
		氯化氢	固定污染源排气中氯化氢的测定 硫氰酸汞分光光度法 HJ/T 27-1999	ZR-3260 自动烟尘烟气综合测试仪	YNZK-XC312	否	李光辉 田野	3mg/m <sup>3</sup>
				ZR-3712 双路烟气采样器	YNZK-XC320	否	朱兴梅	0.9mg/m <sup>3</sup>

### 4. 检测结果

表 4 有组织排放废气检测结果表

检测项目	采样点位	采样日期	采样时段	样品编号	排气筒高度 (m)	烟气参数						检测结果 实测浓度 (mg/m <sup>3</sup> )				
						流速 (m/s)	烟温 (°C)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m <sup>3</sup> /h)					
颗粒物	A1: 焚烧炉 烟囱排口	2026.01.21	10:10-10:40	YNZKSC 20260106026A010	35	15.9	131.1	-0.10	1.89	12.8	5623	8.4				
			10:45-11:15	YNZKSC 20260106026A011		14.4	132.7	-0.09	2.91	13.8	5020	6.9				
			11:20-11:50	YNZKSC 20260106026A012		13.8	129.0	-0.09	2.60	13.0	4864	7.0				
			11:55-12:25	YNZKSC 20260106026A013		13.9	130.1	-0.08	2.55	12.6	4883	6.7				
			12:30-13:00	YNZKSC 20260106026A014		14.7	130.9	-0.08	2.08	12.3	5179	7.9				
			13:05-13:35	YNZKSC 20260106026A015		14.5	130.5	-0.09	2.46	13.1	5093	8.1				
			13:40-14:10	YNZKSC 20260106026A016		14.3	131.7	-0.09	2.84	12.6	4988	7.4				
			14:15-14:45	YNZKSC 20260106026A017		14.4	131.3	-0.10	2.33	12.0	5054	6.7				
			14:50-15:20	YNZKSC 20260106026A018		14.1	130.5	-0.09	2.51	13.3	4950	7.8				
			平均值						14.4	130.9	-0.09	2.46	12.8	5073	7.4	

NO.1

NO.2

检测项目	采样点位	采样日期	采样时段	样品编号	排气筒高度 (m)	烟气参数						检测结果 实测浓度 (mg/m <sup>3</sup> )				
						流速 (m/s)	烟温 (°C)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m <sup>3</sup> /h)					
二氧化硫	A1: 焚烧炉 烟囱排口	2026.01.21	10:15-10:25	YNZKSC 20260106026A010	35	15.9	131.1	-0.10	1.89	12.8	5623	31				
			10:50-11:00	YNZKSC 20260106026A011		14.4	132.7	-0.09	2.91	13.8	5020	27				
			11:25-11:35	YNZKSC 20260106026A012		13.8	129.0	-0.09	2.60	13.0	4864	12				
			12:00-12:10	YNZKSC 20260106026A013		13.9	130.1	-0.08	2.55	12.6	4883	57				
			12:35-12:45	YNZKSC 20260106026A014		14.7	130.9	-0.08	2.08	12.3	5179	34				
			13:10-13:20	YNZKSC 20260106026A015		14.5	130.5	-0.09	2.46	13.1	5093	19				
			13:45-13:55	YNZKSC 20260106026A016		14.3	131.7	-0.09	2.84	12.6	4988	50				
			14:20-14:30	YNZKSC 20260106026A017		14.4	131.3	-0.10	2.33	12.0	5054	30				
			14:55-15:05	YNZKSC 20260106026A018		14.1	130.5	-0.09	2.51	13.3	4950	37				
			平均值						14.4	130.9	-0.09	2.46	12.8	5073	33	

NO.3

报告编号: YNZKKBG20260126019  
ReportNo

检测项目	采样点位	采样日期	采样时段	样品编号	排气筒高度 (m)	烟气参数						检测结果			
						流速 (m/s)	烟温 (°C)	静压 (kPa)	含氧量 (%)	含氧量 (%)	标干流量 (m³/h)		实测浓度 (mg/m³)		
氮氧化物	A1: 焚烧炉 烟囱排口	2026.01.21	10:15-10:25	YNZKSC 20260106026A010	35	15.9	131.1	-0.10	12.8	1.89	5623	117			
			10:50-11:00	YNZKSC 20260106026A011		14.4	132.7	-0.09	13.8	2.91	5020	67			
			11:25-11:35	YNZKSC 20260106026A012		13.8	129.0	-0.09	13.0	2.60	4864	85			
			12:00-12:10	YNZKSC 20260106026A013		13.9	130.1	-0.08	12.6	2.55	4883	110			
			12:35-12:45	YNZKSC 20260106026A014		14.7	130.9	-0.08	12.3	2.08	5179	99			
			13:10-13:20	YNZKSC 20260106026A015		14.5	130.5	-0.09	13.1	2.46	5093	87			
			13:45-13:55	YNZKSC 20260106026A016		14.3	131.7	-0.09	12.6	2.84	4988	113			
			14:20-14:30	YNZKSC 20260106026A017		14.4	131.3	-0.10	12.0	2.33	5054	111			
			14:55-15:05	YNZKSC 20260106026A018		14.1	130.5	-0.09	13.3	2.51	4950	97			
			平均值						14.4	130.9	-0.09	2.46	5073	98	

NO.4

检测项目	采样点位	采样日期	采样时段	样品编号	排气筒高度 (m)	烟气参数						检测结果 实测浓度 (mg/m <sup>3</sup> )
						流速 (m/s)	烟温 (°C)	静压 (kPa)	含氧量 (%)	含湿量 (%)	标干流量 (m <sup>3</sup> /h)	
一氧化碳	A1: 焚烧炉 烟囱排口	2026.01.21	10:15-10:25	YNZKSC 20260106026A010	35	15.9	131.1	-0.10	12.8	1.89	5623	8
			10:50-11:00	YNZKSC 20260106026A011		14.4	132.7	-0.09	13.8	2.91	5020	10
			11:25-11:35	YNZKSC 20260106026A012		13.8	129.0	-0.09	13.0	2.60	4864	8
			12:00-12:10	YNZKSC 20260106026A013		13.9	130.1	-0.08	12.6	2.55	4883	6
			12:35-12:45	YNZKSC 20260106026A014		14.7	130.9	-0.08	12.3	2.08	5179	7
			13:10-13:20	YNZKSC 20260106026A015		14.5	130.5	-0.09	13.1	2.46	5093	8
			13:45-13:55	YNZKSC 20260106026A016		14.3	131.7	-0.09	12.6	2.84	4988	4
			14:20-14:30	YNZKSC 20260106026A017		14.4	131.3	-0.10	12.0	2.33	5054	6
			14:55-15:05	YNZKSC 20260106026A018		14.1	130.5	-0.09	13.3	2.51	4950	5
			平均值			14.4	130.9	-0.09	12.8	2.46	5073	7



NO.5

检测项目	采样点位	采样日期	采样时段	样品编号	排气筒高度 (m)	烟气参数						检测结果				
						流速 (m/s)	烟温 (°C)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)				
氯化氢	A1: 焚烧炉 烟囱排口	2026.01.21	10:10-10:30	YNZKSC 20260106026A001	35	15.9	131.1	-0.10	1.89	12.8	5623	2.5				
			10:45-11:05	YNZKSC 20260106026A002		14.4	132.7	-0.09	2.91	13.8	5020	2.3				
			11:20-11:40	YNZKSC 20260106026A003		13.8	129.0	-0.09	2.60	13.0	4864	2.6				
			11:55-12:15	YNZKSC 20260106026A004		13.9	130.1	-0.08	2.55	12.6	4883	2.7				
			12:30-12:50	YNZKSC 20260106026A005		14.7	130.9	-0.08	2.08	12.3	5179	2.3				
			13:05-13:25	YNZKSC 20260106026A006		14.5	130.5	-0.09	2.46	13.1	5093	2.2				
			13:40-14:00	YNZKSC 20260106026A007		14.3	131.7	-0.09	2.84	12.6	4988	1.9				
			14:15-14:35	YNZKSC 20260106026A008		14.4	131.3	-0.10	2.33	12.0	5054	2.2				
			14:50-15:10	YNZKSC 20260106026A009		14.1	130.5	-0.09	2.51	13.3	4950	2.8				
			平均值						14.4	130.9	-0.09	2.46	12.8	5073	2.4	

\*\*报告结束\*\*

报告编号: YNZKKBG20260126019  
ReportNo

附图:

大理丰顺医疗废物处置有限公司 2026 年一季度比对监测点位图



